



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Southern California Laboratory
6360 Gateway Drive, Cypress, CA 90630
Tel. 209/ 549 7508 Fax. 714/ 226 0009

Table with COA No: SCA-41199247-0, Supersedes: None, COA Date: 5/14/18, Page 1 of 4

TO:
Mr. Zane Christopher
Lost Empire Herbs
2800 S. Rodeo Gulch Road, Unit G
Soquel, CA 95073

Table with Received From: Soquel, CA, Received Date: 4/30/18

Table with Location of Test: (except where noted) Cypress, CA

Analytical Results

Desc. 1: Cist60031918
Desc. 2: Cistanche

Laboratory ID: 376981827
Condition Rec'd: NORMAL
Temp Rec'd (°C): 18.0

Main analytical results table with columns: Analyte, Result, Units, Method Reference, Test Date Loc. Includes Cordyceps Assay and ICP MS Full Mineral Screen data.

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Southern California Laboratory
6360 Gateway Drive, Cypress, CA 90630
Tel. 209/ 549 7508 Fax. 714/ 226 0009

Table with COA No: SCA-41199247-0, Supersedes: None, COA Date: 5/14/18, Page 2 of 4

TO:
Mr. Zane Christopher
Lost Empire Herbs
2800 S. Rodeo Gulch Road, Unit G
Soquel, CA 95073

Table with Received From: Soquel, CA, Received Date: 4/30/18

Table with Location of Test: (except where noted) Cypress, CA

Analytical Results

Desc. 1: Cist60031918 Laboratory ID: 376981827
Desc. 2: Cistanche Condition Rec'd: NORMAL
Temp Rec'd (°C): 18.0

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Rows include Thallium, Thorium, Tin, Titanium, Uranium, Vanadium, Zinc, Zirconium.

Desc. 1: Cist60031918 Laboratory ID: 376981954
Desc. 2: Cistanche Condition Rec'd: NORMAL
Temp Rec'd (°C): 18.0

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Rows include Loss on Drying - USP, E. coli - Enrichment, Salmonella - USP, Total Microbial Count - USP, Yeast and Mold - USP, Yeast, Mold.

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.